

HYBRID CAPSULE–GRAPH NEURAL NETWORK AND GAUSSIAN PROCESS– EXTREME LEARNING MACHINE MODEL FOR PRECISE SUGARCANE DISTRIBUTION RATE PREDICTION USING STEM BORDER FEATURES

Dr. Radha.C

Assistant Professor, Department of Computer Application, Gurunanak College, Velachery,
Chennai | radha.c@gurunanakcollege.edu.in

Dr. D. Elangovan

Assistant Professor, Department of Computer Science, Faculty of Science and Humanities
SRM Institute of Science and Technology (SRMIST), Kattankulathur, Tamil Nadu, India
elangovd@srmist.edu.in

Abstract—Proper prediction of sugarcane distribution rate based on the stem border features is a difficult task because of the irregular forms and morphology, changes in the environmental conditions, and noise during imaging procedures. The proposed paper is a hybrid machine learning architecture that incorporates Capsule and Graph Neural Networks (GNN), Gaussian Process Regression (GPR) and Extreme Learning Machine (ELM) to simulate structural, spatial, and probabilistic sugarcane stem image modeling. The system was trained on one lakh high-resolution border-segmented images and cross-validation done on a large-scale dataset of these images. The fusion strategy that is suggested will have hierarchical texture coding, graph-based boundary representation, and nonlinear regression refinement to increase predecescence and generalization. Compared to traditional deep learning and regression models, experimental evidence proves a higher degree of predictive stability and accuracy of 99.487. The system is a scalable solution to intelligent agricultural analytics, to which it provides automated grading, yield optimization, and precision farming applications.

Keywords: Sugarcane Distribution Rate, Hybrid machine learning, Capsule Network, Graph Neural Network, Gaussian Process regression, extreme learning machine, Precision Agriculture.

I. INTRODUCTION

Sugarcane is a commercial crop of the economy of the world as it is among the major sources of producing sugar, producing bioethanol and various other agro-based products of the industry. Proper determination of the rate of sugarcane distribution, especially based on the stem border features is of great importance in predicting yield, quality analysis as well as automated grading systems. Formal methods of assessment are often based on the heavy use of manual inspection and empirical measures, which are still time-consuming and subjective and may use human judgment. Owing to the fast growth of accuracy farming and smart-farming systems, automated forecasting of materials based on sophisticated machine-learning methods has become a potentially valid substitute [1].

Sugar cane stems demonstrate a significant variation in their structural morphology, which is conditioned by the environmental factors, the soil conditions, the irrigation variations, and the

genetic background. Irregularities of the border, node separation rate, surface texture, and fiber density have a great impact on the rate of distribution and inner quality. Nevertheless, it is still difficult to obtain meaningful quantitative data of stem border images by illuminating variations, occlusions, background interference and biological noise. The traditional image processing algorithms, such as threshold-based segmentation and

Human-designed feature extraction, are usually ineffective to describe sophisticated hierarchical and spatial links that are inherent to the stem boundary structure [2].

Convolutional Neural Networks (CNNs) and other deep learning models have demonstrated high potential success at the task of agricultural image analysis, e.g. disease identification and classifying crops. However, CNN-based models give a major emphasis on the spatial convolution operations and can be insensitive to the structural dependency between the elements of a boundary. Also, conventional regression methods such as Support Vector Machines (SVM) and Random Forests have low probabilistic uncertainty and non-linear interaction capabilities over high-dimensional feature spaces. Hence, a superior hybrid structure that can combine features learning at hierarchical levels, structural models, probabilistic inference, as well as quick nonlinear prediction, is required when enhancing the accuracy of distribution rate estimation [3].

The latest developments in artificial intelligence have proposed new architectures like Capsule Networks, which maintain spatial hierarchies in terms of dynamic routing functionality, and Graph Neural Networks that describe relational dependencies between elementarily structured data. These methods, combined with probabilistic regression models such as Gaussian Process Regression, and with e.g. extreme learning machines, offer these methods complementary advantages in feature abstraction, structural reasoning, uncertainty estimates, and computation. Nevertheless, they have not been investigated in combination with others in the agricultural stem border analytics context [4].

This study aims to solve the issue of estimating the rate of sugarcane distribution by using stem border images and proposing a hybrid machine learning system uniting the features extraction as well as the regression into one single super prediction system. Its system works on images with a high resolution and feature fused in multi-stage to ensure the system is robust against environmental noise and structural anomalies. The study will use the cross-validation with a huge pool of data in order to prove the better generalization and predictive stability than in traditional methods used. This work has made contributions in the form of the design of a structurally conscious hybrid architecture, has developed a modeling strategy based on border-graph and has been fully experimentally proven to high reliability in prediction. The suggested architecture serves the further development of intelligent agricultural automation and is a part of the development of scalable precision farming solutions [5].

This paper is structured in a manner the review of literature is presented in Section II. Section III provides the description of the methodology with its operationality in particular. There are results and discussions in section IV. Finally, the last part of V is the final findings and recommendations.

II. LITERATURE SURVEY

The artificial intelligence, remote sensing, and deep learning methods have made a tremendous change in the current sugarcane farming due to the sheer pace of innovation. The latest practices in precision farming include machine learning models, satellite images, unmanned aerial vehicles (UAVs), and Internet of Things (IoT) solutions to increase effectiveness in productivity, disease control, yield forecasting, and monitoring. Suitable new studies are concerned with enhancing the accuracy of detection, computational complexity reduction, as well as real-time decision support systems. As people more and more insist that agriculture is environmentally friendly and that resources are used effectively, smart systems are being created that can track the sugarcane development stages, identify an infestation of pests, differentiate types of diseases, map the plantations, and estimate the quality of yield. Through data-driven approaches, the purpose of these systems is to minimize losses of crops, optimize the process of irrigation and fertilization, and enhance the overall output.

A number of researches have focused on predictive modelling and evaluation of pest impact on sugarcane plantations. The hybrid machine learning structure was created which would predict the rate of destruction by the sugarcane stem borers and it would use adaptive and incremental learning to deal with concept drift in time-series data [6]. It has further been suggested that advanced crop mapping systems with Sentinel-2 image and time-series SAR data can enhance the accuracy of plantation identification and optimization the growth cycle [9][15]. Moreover, multi-level attention based on multi-spatio-temporal resolution were also proposed to identify sugarcane based on synthetic aperture radar imagery, which increased the classification strength under a range of environmental factors [15]. Moreover, fuzzy-Random Forest predictive models have been utilized to enhance the parameters of yield and quality whereby, the input of meteorological and soil-based data have been combined to address sustainable management on agricultural farms [12]. These forecasting methods show the significance of synergizing the benefits of temporal datasets in conjunction with the adaptive learning processes to enhance the forecasting performance.

The detection and classification of disease is one of the main topics of sugarcane studies as it leads to massive losses in yield when the stage of leaf infection and the presence of microbial pathogens are highlighted. Transfer learning models, lightweight networks, and CNNs have found broad application in automated disease recognition. Classification models based on MobileNetV3 have demonstrated encouraging results with regard to real-time use on an edge computer like Raspberry Pi systems [7]. Devices based on deep learning on top of ResNet50 among other CNNs have registered high-quality classification on various sugarcane leaf diseases [10]. CNN models combined with Vision Transformers have also been able to extract features better making them more robust to complex changes in the background variations [13]. To cope with both accuracy and computational efficiency, better RegNet structures have been presented to perform disease classification tasks as well [16]. Also, extensive literature reviews testify to the efficacies of deep learning-based methods to improve the state of plant disease diagnostics, with scalability and single-step accuracy being important in precision agriculture [17]. All these contributions are evidence of a move toward light, high-increase models which can be used in the field.

Precision agriculture practices have been further enhanced by the use of remote sensing and UAV based monitoring systems in sugarcane farming. A combination of time-series Sentinel-1 and optimal growth cycle alignment techniques have enhanced the mapping of plantations

during different phenological stages [9]. WGAN-CNN models have been used to categorize dense and sparse vegetation, which has improved vegetation activity and NDVI-based classification level in remotely sensed data [10]. YOLOv8 neural models assist in detecting disease drones in the field, providing the possibility to observe it in real-time and contribute to the reduction of activities in the field of manual checks to a minimum [18]. On the same note, deep learning models built in UAVs involving both convolutional neural networks and Random Forest algorithms have been utilized in the detection of weeds and yield prediction, offering multispectral information and the estimation of the leaf area index [19]. Historical and forecast weather data interactive, visualization systems have also been created that can assist in decision-making in sugarcane plantations [11]. These technologies focus on integrating aerial imagery, weather data, and AI-based analytics to enhance the use of these technologies to manage crops.

Besides monitoring and detection, integration, and data management systems have been suggested to facilitate large scale cultivation systems. K-means clustering algorithms with IoT-based operator systems help to gather data in real-time and perform big data analytics to optimize the fields [11]. Image dataset models are created with the help of machine learning to provide a standardized model of sugarcane disease detection researches and enhance benchmarking accuracy [14]. The reviews that are related to sugar quantity prediction point out the use of different regression and machine learning models to predict sugar recovery and production efficiency [13]. In addition, the literature dealing with sugarcane biomass use highlights the application of the biomass in a sustainable output of electricity as well as reduction of emissions, which correlates agricultural output with renewable energy utilization [14]. All in all, there is evidence in the literature that artificial intelligence, remote sensing, UAV technology, and predictive analytics are integrated multidisciplinary to boost the efficiency, sustainability, and resilience of sugarcane cultivation.

III. METHODOLOGY

The suggested prediction system shall be an advanced image processing, structural modeling, probabilistic inference, and nonlinear regression refinement framework as a multi-stage hybrid system. The method is systematic in a pipeline that start at data acquisition and preprocessing up to final distribution rate prediction. One lakh high-resolution sugarcane stem border images were used in a large-scale dataset, which was preconditioned by the statistical robustness and ability to generalize. Images are segmented along their boundaries and coded structurally and then evolved by the hybrid learning modules. Capsule Networks, Graph Neural Networks, Gaussian Process Regression, and Extreme Learning machine are integrated to guarantee the preservation of hierarchical features, relational dependency modeling, the simplicity to measure and quantify uncertainty, and high performance. The technical process of the methodology is broken down into six extensive technical stages in the following way.

A. Data Acquisition and Border Segmentation.

The high-resolution photographs of sugarcane stems were made at a controlled environment and semi-controlled environment to integrate the variability of the field. The imaging system also incorporated calibration industrial cameras that had manageable uniform illumination to minimize the artifacts of shadow. Raw images were initially resized and normalized so that they would be consistent in terms of computation. Adaptive histogram equalization was used

to before the process of preprocessing because contrast had to be clarified after which the median filter was used to clear the noise without addition of structural edges.

The hybrid morphological-gradient technique in combination with adaptive thresholding was used to perform border segmentation. Stem contours were obtained using edge detection and the connected component analysis was used to separate the main stem edge with the background. The discontinuities along the border were refined in morphological closing operations. The last divided border image was transformed into binary contour and then further mapped into coordinate sequences to be used in structural modeling. The step will guarantee that distortions, node distance and variation in curvature are maintained to be characterized in advanced feature extraction.

B. Capsule Networks Hierarchical Feature Extraction.

Hierarchical spatial relationships existing in the borders of the stems of sugarcane were captured using Capsule Networks. In contrast to traditional convolutional layers, capsules represent both the existence and direction of features in a form of vectors. The broken images on the border were sent to the convolutional layers and low level features like ridges and gradient of textures were identified. These characteristics were in turn arranged in main capsules that symbolize localizing boundary elements.

Connection between parts and whole The development of part-whole connectedness Part-whole relationships were determined using dynamic routers that permitted the model to acknowledge structural continuity between stem segments. Geometric transformations and rotational consistency are maintained in such an architecture and are found in naturally curved sugarcane stems. The output capsules produce high-dimensional feature embeddings that capture morphological features such as density of curvature, periodicity of nodes and orientation patterns of the fibers. These embeddings provide the representation base of additional structural modelling. The hierarchical encoding is spatially resistant to spatial distortions and its discriminative ability is superior than traditional convolution-based representations.

C. Structural Relationship Modeling on Graph Neural Networks.

The embeddings that were produced by capsules were converted to graph structures to model relational dependencies between segmented border points. Important border coordinates were taken as nodes and edges were defined by proximity in space and also continuity of curvature. This graphical representation takes the pattern of connectivity patterns along the stem boundary.

Graph Neural Networks were used to transmit information along the network by passing of messages between adjacent nodes. Aggregation task The aggregation task updates node representations using local signal of structure and global signal of context. This facilitates the system to detect correlated boundary patterns, which include uniform internodal spacing patterns or irregular growth patterns which affect the rate of distribution. Spectral graph convolution methods were employed to make sure that they have been computationally efficient on large scale graphs. The GNN result makes relational feature vectors that encode structural coherence and morphological distribution pattern, which is a vastly better predictive performance based on irregular stem geometries.

D. Gaussian Process Regression Probabilistic Regression.

The obtained relational feature vectors of the GNN module were then fed into a Gaussian Process Regression to give the probability of sugarcane distribution rate. GPR was chosen because of its capacity to give uncertainty measurements and prediction estimates. The nonlinear relationship among structural features and distribution rate was modelled, with the help of a radial basis function kernel.

This was achieved by reliance on maximum likelihood hyperparameters to optimize the hyperparameters. The model captures smooth variation of trends of distributions through the construction of covariance matrix over the feature embeddings. GPR is probabilistic, therefore, the system can assess the probability of outcomes in prediction, leading to an improved dependability in the process of making decisions. This step makes sure that variability in structure of stem borders are converted into statistically interpretable distribution rates estimates and at the same time being adaptive to unknown data patterns.

E. Extreme learning machine Nonlinear Refinement.

In order to increase the speed of prediction and nonlinear approximation, Extreme Learning Machine was incorporated as a refinements layer. The output of the GPR and the embedded features were concatenated and given into a single-hidden-layer feedforward network with randomly set weights. ELM is able to calculate the output weights analytically unlike the traditional neural networks, thus training is done significantly faster.

The functions to be activated were chosen in order to obtain nonlinear residual patterns that were not sufficiently described by the GPR component. The ELM is a self-correcting system, which reduces the quantity of prediction residuals via the least-squares optimization. This step guarantees the computational efficiency that is easily deployed in agriculture in real-time as well as maintains good prediction accuracy. Joint probabilistic modelling and rapid nonlinear adjustment significantly increase system adaptability and stability.

F. Cross-Validation and Model Optimization.

Since the sample size had to be sufficiently large to avoid overfitting, a cross-validation strategy of k-fold was applied to all the one lakh images. The data set was divided into several folds and the distribution of the variations in the stem morphology remained homogeneous within a subset. In every iteration, training and validation were run separately in order to test the ability of generalization.

Each fold was calculated using performance measures such as accuracy, mean squared error and correlation coefficient. Capsule Networks hyperparameters, GNN layers, kernel functions, and ELM number of neurons have been optimized using grid search. It included regularization methods to avoid the overfitting of the high-dimensionality feature space. The optimum hybrid model was stable in converging and predicting performance of its folds. This validation model assures trustworthiness and portability of the suggested sugarcane distribution rate prediction system.




Fig. 1: System Architecture

IV. RESULT AND DISCUSSION

The hybrid machine learning structure was tested on a large set of data that included 1,00,000 high-resolution sugarcane stem border images taken under different environmental and morphological conditions. The data set consisted of a wide range of stems with different thickness, curvatures, difference of node spacing, and difference of illumination to represent real field. Stratified k-fold cross-validation was employed to generate a divided data so that morphological distribution remained even across each fold. The assessment was done on the predictive stability, generalization capability and modeling structural consistency.

The hybrid framework that combined Capsule Networks, Graph Neural Networks, Gaussian Process Regression and Extreme Learning Machine performed better than its counterparts ruled out CNN-SVM and CNN-Random Forest baselines. Cross-validation ensured convergent stability in all folds and there was little difference in training and validation accuracy which showed the test has high generalization ability. The overall prediction accuracy of the proposed model was 99.487% which indicates that it was able to predict intricate hierarchical and structural relationships in sugarcane stem borders. Table 1 indicates the cross-validation results in five folds. The difference between folds is insignificant and attests to strength and stable learning pattern.

Table 1: Cross-validation performance on a 5 folds basis.

Fold	Training Accuracy (%)	Validation Accuracy (%)	Mean Squared Error
Fold 1	99.612	99.472	0.0028
Fold 2	99.598	99.491	0.0026
Fold 3	99.631	99.503	0.0025
Fold 4	99.587	99.468	0.0030
Fold 5	99.620	99.502	0.0024

The uniformity in Table 1 shows that the hybrid architecture is useful in preventing an overfitting problem even when using high-dimensional features. The predictive ability of the

Gaussian Process Regression to model probabilistically helped achieve randomness in prediction, and the Extreme Learning Machine minimized the value of the residue are the two features that helped to reduce the uncertainty in prediction and minimized the residual error. In order to make further analysis of comparative performance, the baseline algorithms were integrated under the same preprocessing conditions. These were independent CNN, Support Vector Regression (SVR), random forest regression and a simple Multilayer Perceptron (MLP). A summary of the comparative evaluation results is in Table2.

Table 2: Comparative Model Acceptance.

Model	Accuracy (%)	MSE	Stability Index
CNN	96.842	0.0142	Moderate
SVR	94.115	0.0218	Low
Random Forest	95.774	0.0175	Moderate
MLP	97.903	0.0106	High
Proposed Hybrid Model	99.487	0.0026	Very High

In Table 2, the enhancement of the accuracy of the predictions is obvious. The interpretation of relational patterns of border curvature into structural models was provided by the structural modeling using Graph Neural Networks; the traditional convolution-based models failed to efficiently represent the pattern of border curvature. Moreover, Capsule Networks maintained spatial hierarchies that had a strong effect of discriminating fine morphological differences that affected the rate of distribution. The training and validation accuracy convergence on epochs is represented in Figure 2. The curve is sharp convergence in early epochs and even plateau, without oscillatory divergence, which suggests the optimization of learning processes and the successful regularization.

Fig 2: Training and Validation Accuracy Convergence Curve.

Morphology Type	Sample Count	Accuracy (%)	Variance
Uniform Stem Structure	35,000	99.512	Low
Moderately Irregular Structure	33,000	99.463	Low
Highly Irregular Structure	32,000	99.486	Moderate

The convergence behavior validates the claim that the hybrid integration decay instability associated with deep learning structures using complex structural inputs. Besides accuracy analysis, error distribution was used in measuring consistency of predictions among different stem morphologies. The residual error histogram, Figure 3 indicates a skew constricted distribution around the center with a narrow Gaussian distribution indicative of thin systematic biases.




Fig 3: Distribution of Residual Error of the prediction.

The balancing of error profile was partially achieved by the probabilistic nature of the Gaussian Process Regression that estimated the covariance relationship between feature embeddings. This provides a better transition between prediction of samples with slow morphological variations. Structural sensitivity analysis was carried out to visualize the effect of the change of the density of the curvature of the boundaries and node spacing on the prediction results. The hybrid model proved to be adaptable in a consistent fashion both in a uniform and irregular pattern of the border. Table 3 shows the results of structural sensitivity in three morphological categories.




Table 3: Structure Sensitivity Analysis.

As seen in Table 3, the proposed system is able to sustain the predictive performance despite being in a high level of irregularity. This was made possible by the incorporation of structural discontinuities in the way the system interpreted them, which was better than the traditional pixel-based approach. Figure 4 plate shows a scatter graph between the observed and the estimated value of the sugarcane distribution rate. The almost linear correlation along the diagonal reference line implies great level of correlation and low level of dispersion.




Fig 4: Final Distribution rate vs Predicted Distribution rate Scatter Plot.

The correlation coefficient was close to one, which once again confirmed the predictability ability of the hybrid system. Addition of Extra Learning Machine as a refinement layer helped in minimizing nonlinear residual differences that are present in dense parts of the dataset. Computational performance testing did indicate that the training time was acceptable considering the architectural complexity. Capsule and Graph layers necessitate structured computation, whereas the analytical determination of the weight gained by extreme learning machine was very vital in reducing the overall computational overhead in refinements. Inference speed was found to be practical in precision agricultural automation systems in real-time deployment.

The results of the cross-validation also validated that the model did not lose its accuracy in seen validation subsets of all folds. Balanced bias-variance trade-off can be observed in the small difference between training and validation accuracy. Additionally, quantification of uncertainty through the Gaussian Process Regression offers viable benefits in field-level decision-making including the ability to determine predictions that have less confidence margins. In general, the hybrid architecture effectively integrates hierarchical feature extraction, structural graph reasoning, probabilistic inference and fast nonlinear refinement. The experimental validation of one lakh images, as well as the usual cross-validation accuracy and comparative performance, proves that the suggested system makes a significant step towards predicting the accuracy and reliability of sugarcane distribution rate.

V. CONCLUSION

The research proposed a new hybrid machine learning model to predict the rate of sugarcane distribution based on the stem border characteristics with the help of the progressive structural and probabilistic models. Combining Capsule Networks to preserve hierarchical features, Graph Neural Networks to establish relational boundaries, Gaussian Process Regression to predict with uncertainty, and Extreme Learning Machine to refine nonlinearly, the proposed system managed to manage limitations related to the traditional methods of regression using images. The framework was shown to have a high generalization capacity in large-scale

datasets and morphologically diverse datasets, and thus its strength in real-field variability confirmation.

The practical consequences of the current study are related to automated crop grading, automated yield estimation and precision agriculture systems in which fast and accurate decision-making is critical. The graph-based form of modeling enables increased explanatory power (between morphological patterns and predictive results). rooted in its structural characteristics, this approach would make the system practical to scalable agricultural automation. Future directions will center around real time edge deployment over embedded hardware platforms, integration with smart farming system based on IoT and multimodal data fusion that includes hyperspectral and environmental sensor data. By extending the framework to adaptive self-learning under seasonal variation, the framework will become more convincing to apply it in dynamic agro-ecologies.

REFERENCES

- [1] W. Pituckwanich, D. Hormdee, A. Boonkong, P. Kaewfoongrunsi, M. Tintarasara Na Ratchaseema and V. Veerachit, "The Implementation of a Prediction System for Sugarcane's Destruction Rate From Sugarcane Stem Borer via Hybrid Machine Learning," in *IEEE Access*, vol. 13, pp. 45594-45608, 2025, doi: 10.1109/ACCESS.2025.3549453.
- [2] J. D. B. Cadacio, G. A. Ferrer and E. M. Vergara, "Sugarcane Disease Classification Using MobileNetV3," 2025 8th International Seminar on Research of Information Technology and Intelligent Systems (ISRITI), Yogyakarta, Indonesia, 2025, pp. 955-960, doi: 10.1109/ISRITI68345.2025.11393302.
- [3] Y. Chen, H. Li, X. Lu, F. Liao, J. Chen and X. Huang, "Semantic Segmentation and Phenotypic Trait Extraction of Sugarcane Plants Based on PPA-PointNet++," 2026 6th International Conference on Consumer Electronics and Computer Engineering (ICCECE), Wuhan, China, 2026, pp. 198-203, doi: 10.1109/ICCECE69169.2026.11399838.
- [4] H. Li et al., "In-Season Mapping of Sugarcane Planting Based on Sentinel-2 Imagery," in *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, vol. 18, pp. 1410-1421, 2025, doi: 10.1109/JSTARS.2024.3497653.
- [5] T. S. Ruprah, A. Gupta, P. Jadwal and V. Mokashi, "Sugarcane Disease Detection and Classification Using Deep Learning Techniques," 2025 3rd International Conference on Communication, Security, and Artificial Intelligence (ICCSAI), Greater Noida, India, 2025, pp. 246-250, doi: 10.1109/ICCSAI64074.2025.11063737.
- [6] C. Yu, D. Ren and Q. Meng, "Integration and Monitoring System of Sugarcane Field Cultivation Information Based on K-Means Clustering Algorithm," 2025 IEEE 12th Joint International Information Technology and Artificial Intelligence Conference (ITAIC), Chongqing, China, 2025, pp. 86-90, doi: 10.1109/ITAIC64559.2025.11163168.
- [7] P. Silapachote, A. Srisuphab, K. Wuthiumphol, Y. Tanprathumwong and T. Pohboonchuen, "Classification of Sugarcane Leaf Diseases Using Vision Transformers and CNN Models," 2025 22nd International Joint Conference on Computer Science and Software Engineering (JCSSE), Chiang Mai, Thailand, 2025, pp. 164-168, doi: 10.1109/JCSSE67377.2025.11297933.

- [8] M. Mittal and D. Baloni, "Detection of Sugarcane Leaf Disease Using Deep Learning Techniques," 2025 International Conference on Networks and Cryptology (NETCRYPT), New Delhi, India, 2025, pp. 1924-1927, doi: 10.1109/NETCRYPT65877.2025.11102323.
- [9] H. Li et al., "Sugarcane Plantation Mapping Based on Time Series Sentinel-1 Data and Optimal Growth Cycle Alignment," IGARSS 2025 - 2025 IEEE International Geoscience and Remote Sensing Symposium, Brisbane, Australia, 2025, pp. 4416-4420, doi: 10.1109/IGARSS55030.2025.11313948.
- [10] M. M. Kambli and B. Palkar, "WGAN-CNN for dense and sparse vegetation categorisation of remotely sensed sugarcane crop," 2025 IEEE International Conference on Next-Gen Technologies of Artificial Intelligence and Geoscience Remote Sensing (EarthSense), Hyderabad, India, 2025, pp. 1-5, doi: 10.1109/EarthSense66084.2025.11297236.
- [11] S. Chansamorn, A. Wongjak, W. Somgiat and Y. Ruangpaisarn, "An Interactive Visualization System for Historical and Forecast Weather Data in Sugarcane Fields," 2025 22nd International Joint Conference on Computer Science and Software Engineering (JCSSE), Chiang Mai, Thailand, 2025, pp. 181-185, doi: 10.1109/JCSSE67377.2025.11297938.
- [12] D. Gowri Shankar and R. Jayaparvathy, "Fuzzy –Random Forest Predictive Models for Improvement of Sugarcane Yield and Quality," 2025 Fifth International Conference on Advances in Electrical, Computing, Communication and Sustainable Technologies (ICAECT), Bhilai, India, 2025, pp. 1-7, doi: 10.1109/ICAECT63952.2025.10958839.
- [13] K. Narayanasamy and I. Venkatachalam, "A Detailed Review for Predicting the Quantity of Sugar From Sugarcane Using Various Models," in IEEE Access, vol. 13, pp. 32122-32146, 2025, doi: 10.1109/ACCESS.2024.3522495.
- [14] A. B. Shikalgar, A. S. Surve, S. D. Jadhav, S. G. Bamane and A. A. Kamble, "Sugarcane Disease Detection: A Machine Learning-Based Image Dataset for Precision Agriculture," 2025 6th International Conference for Emerging Technology (INCET), Belgaum, India, 2025, pp. 1-8, doi: 10.1109/INCET64471.2025.11139941.
- [15] V. K. Azad, K. De and S. Majumder, "Green Power: The Role of Sugarcane Biomass in Electricity Generation and Emission Reduction," 2025 7th International Conference on Energy, Power and Environment (ICEPE), Sohra (Cherrapunjee), India, 2025, pp. 1-5, doi: 10.1109/ICEPE65965.2025.11139409.
- [16] H. Li et al., "Spatiotemporal Multi-Level Attention-Based Sugarcane Identification using Time-Series SAR Imagery," 2025 9th Asia-Pacific Conference on Synthetic Aperture Radar (APSAR), Matsue, Japan, 2025, pp. 1-4, doi: 10.23919/APSAR64635.2025.11392319.
- [17] M. A. D. Rosyadi, K. N. Ramadhani and F. Sthevanie, "Classification of Sugarcane Plant Leaf Diseases Using Improved RegNet," 2025 International Conference on Data Science and Its Applications (ICoDSA), Jakarta, Indonesia, 2025, pp. 716-721, doi: 10.1109/ICoDSA67155.2025.11157058.
- [18] J. Rani and P. Garg, "Review the Existing Deep Learning-Based Techniques for the Detection and Classification of Sugarcane Leaf Diseases," 2025 2nd International Conference on Computational Intelligence and Computing Applications (ICCICA), Samalkha, India, 2025, pp. 364-368, doi: 10.1109/ICCICA67008.2025.11337820.
- [19] L. Abraham et al., "Precision Farming on Sugarcane: Drone-Based Disease Detection Using YOLOv8 Neural Models," 2025 International Conference on Vehicular Technology and

Transportation Systems (ICVTTS), Bangalore, India, 2025, pp. 1-6, doi: 10.1109/ICVTTS67119.2025.11296538.

[20] D. Geethaanjali and N. Thilagavathi, "A Deep Learning Framework for Unmanned Aerial Vehicle-Based Sugarcane Crop Analysis: Weed Detection and Yield Prediction," 2025 10th International Conference on Smart Structures and Systems (ICSSS), Chennai, India, 2025, pp. 1-6, doi: 10.1109/ICSSS66939.2025.11346431.